

 sahero



Compact Glass
SV-X150



COMPACT GLASS

INSTALLATION
VIDEO



SV-X150

Technical Details

SV-X150 is a compact sliding solution since it conceals all its mechanisms in the guide and reduces the space between the panel and the wall to a minimum. It is easy to install, practical, immediate and with a very attractive design. In addition, it is designed to support large-sized panes of glass (panes of up to 150kg in weight).


There is a choice between different braking systems: retaining brake and Saheco's new **SOFTPRO** system, an exceptional solution for a smooth and quiet sliding action with an effective, powerful yet at the same time gentle soft closing and or opening action.






SV-X150
Technical characteristics

Profiles



Specifications



Weight

| | |
|--------|--------|
| 150 kg | 331 lb |
|--------|--------|

Certificated
product



Download
certificate







SV-X150

Cross-section

TRACK 1 Wall / Ceiling mount




$$A = H + 15$$



$$A = H + 15$$

TRACK 1 Glass wall mount




$$A = H - 47$$

$$G = H + X$$


SV-X150

Cross-section


TRACK 2 False ceiling mount



TRACK 3 Wall / Ceiling mount with fixed panel



TRACK 4 False ceiling mount with fixed panel






SOFTPRO[®]

TECHNOLOGY by Saheco

The new soft-closing technology from Saheco which combines two nitrogen gas filled pistons and one oil filled piston all within the same unit.


- Fully adjustable closing speed
- Closing action is progressive and slows down as the door approaches the fully closed position
- Soft Closing
- Anti break feature on the trigger
- Ensures safe braking and prevents bouncing of the door.
- Combines an aesthetically pleasing action with safe soft closing for door





SV-X150

Installation possibilities







SV-X150

Components


TRACK OPTIONS




SV-X150 - TRACK 1
Wall / Ceiling mount



SV-X150 - TRACK 2
False Ceiling mount
without fixed panel




SV-X150 - TRACK 3
Wall / Ceiling mount
with fixed panel



SV-X150 - TRACK 4
False Ceiling mount
with/without fixed panel

BRAKE OPTIONS



SV-X150 - SET 1
x2 Retaining stopper
(Standard Stoppers)



SV-X150 - SET 10
x1 Double Softpro







Available Finishes

● **SI** Satin anodized aluminium

● **BS I** Stainless Steel brushed finish aluminium

SV-X150

Components

| ACCESSORIES | | |
|---|--|---|
|  |  |  |
| <div>SV-X150 - END CAPS TRACK 1</div> <div>Wall / Ceiling mount</div> | <div>SV-X150 - END CAPS TRACK 3</div> <div>Wall / Ceiling mount with fixed panel</div> | <div>SV-X150 - SOFTPRO™</div> |
|  |  |  |
| <div>SV-X150 - Double SOFTPRO™</div> | <div>SV-X-GF</div> <div>Glass Fixing</div> | <div>SV-X-FG</div> <div>Floor Guide</div> |

Notes

Notes

Compact Glass

SV-X150



Polígono Industrial de Foradada / 08580
St. Quirze de Besora / Barcelona / Spain
T +34 93 852 96 15
export@saheco.com
saheco.com



Saheco's Exclusive Distributor
Melbourne Office
170 Derrimut Drive Derrimut Vic 3030
Tel. 1300 4 ELITE
sales@eliteglasssolutions.com.au
eliteglasssolutions.com.au

Adelaide Office
7 Manfull St. Melrose Park SA 5039