

MULTIPLO BLOQ

g l a s s

SV-SINCRO Q110

More than

a compact

sliding door

system.

Glass partitions
and interior doors.

MULTIPLO BLOQ

g l a s s

The **SV-Sincro Q110** system allows glass panels to open and close simultaneously in opposite directions (right-left) through a smooth and coordinated motion. This means that when one door is moved, the other slides in a synchronized manner, creating a more functional and efficient opening or closing. An ideal solution to bring versatility to multi-use spaces.


Key features:

- **Synchronized sliding system** for glass doors.
- **Compact profile** that conceals the mechanisms within the track, achieving an outstanding aesthetic appearance and allowing installation with **sliding door or sliding door plus fixed glass (a single profile for the accessory set compatible with SV-Q60 and SV-Q110)**.
- **All adjustments are frontal**, ensuring a remarkably straightforward installation process.
- Top profile available in **natural aluminum, matte silver anodized aluminum, and matte black and white lacquered aluminum**.
- Installation options include **wall mounting, ceiling mounting, or false ceiling mounting**.
- **Ball-bearing rollers** for smooth and silent sliding.
- **Braking options:** Retainer brake (110 kg per panel) and bidirectional SofTop soft-close damper (55 kg per panel) for smooth, impact-free door opening and closing; also helping to extend the product's lifespan.
- **Bottom guide** for installation without a floor track, ensuring a clear and obstacle-free passage.
- Available in **kit format**.
- **Applus+ certified** according to EN1527 standard with **200,000 durability** cycles for systems with retainer brake, thereby doubling the durability standards previously established for Saheco products.

DOWNLOAD LIBRARY



is more...








...

smoothness
functionality
quality
design
easy installation

Synchronize your access, transform your space.



Multiple Bloq Glass offers a synchronized solution that provides wider and smoother access to rooms, optimizing traffic flow. The synchronized mechanism ensures that when one door panel is moved, the other panel moves simultaneously by means of a connecting cable, resulting in both doors opening or closing in equal proportion.









Installation possibilities

6


WALL




WALL WITH FIXED PANEL




CEILING




CEILING WITH FIXED PANEL







CUBE PELMET COVER





Cross-section

(Dimensions in mm)



/Wall mounting



/Ceiling mounting



/False ceiling mounting



Components

8-10-12 mm

15-14-13 mm

RETAINER
MÍN. 600 mm

SOFTOP
MÍN. 685 mm

MÁX.55Kg

KIT
AVAILABLE

BALL
BEARING

MF

S

WL

BL

PVCB

SP

BP

WP

Mill finish aluminium

Satin anodized aluminium

White lacquered aluminium

Black lacquered aluminium



Black PVC

Silver plastic

Black plastic

White plastic


10


/Profiles		Finish	Cód.		
 BLOQ sliding top track set / sliding + fixed glass  73x66 mm	1 set	MF	0 113 23	2 m	
			0 113 33	3 m	
			0 113 43	4 m	
			0 113 63	6 m	
		S	0 112 20	2 m	
			0 112 30	3 m	
			0 112 40	4 m	
			0 112 60	6 m	
		WL	0 112 22	2 m	
			0 112 32	3 m	
			0 112 42	4 m	
			0 112 62	6 m	
		BL	0 112 23	2 m	
			0 112 33	3 m	
			0 112 43	4 m	
			0 112 63	6 m	
www.saheco.com  BLOQ FT false ceiling sliding top track set / sliding + fixed glass  106x66 mm	1 set	MF	0 113 24	2 m	
			0 113 34	3 m	
			0 113 44	4 m	
			0 113 64	6 m	
		S	0 112 24	2 m	
			0 112 34	3 m	
			0 112 44	4 m	
			0 112 64	6 m	
		WL	0 112 25	2 m	
			0 112 35	3 m	
			0 112 45	4 m	
			0 112 65	6 m	
		BL	0 112 26	2 m	
			0 112 36	3 m	
			0 112 46	4 m	
			0 112 66	6 m	

*The number of clips varies depending on according to the length of the profile: 2m = 4 clips | 3m = 6 clips | 4m = 8 clips | 6m = 10m

/Profiles		Finish	Cód.		
	BLOQ Cube pelmet cover  55x66 mm	MF	0 113 36	3 m	2 profiles
		S	0 113 30		
		WL	0 113 31		
		BL	0 113 32		

	BLOQ Cube FT pelmet cover  73x13 mm	MF	0 113 37	3 m	2 profiles
		S	0 113 38		
		WL	0 113 39		
		BL	0 114 30		


	Bottom track for fixed glass of 8-10-12mm  20x20 mm	S	00 87 30	3 m	
		WL	00 88 30	3 m	2 profiles
		BL	00 89 30	3 m	

	Bottom track front entry for fixed glass of 8-10-12mm  21x20 mm	S	0 110 32 ¹	3 m	1 set
		WL	0 110 34 ¹		
		BL	0 110 35 ¹		

¹The profile includes the joint + sets of side covers. 2 meters - 2 sets of covers. 3 meters - 4 sets of covers. 6 meters - 6 sets of covers.

/Sets

Finish Cód.  




SV-Sincro Q110 Fitting set x2 Retaining stopper

110kg per panel



0 110 04 1 set



SV-Sincro Q110 Fitting set. x1 Double SofTop

55kg per panel




0 110 05 1 set

12

/Accessories

Finish Cód.  



Lateral cap set for sliding top track / with fixed glass. Ceiling and wall mounting



73x66 mm

SP	00 70 74	1 set
BP	00 70 76	
WP	00 70 75	



SV-Q110 double SofTop

110kg

0 110 03 1 piece

/Accesorios

Acabado Cód.  



Clip for BLOQ top tracks.
Included in the profile set

0 112 02 10 pieces



SV-Q60 / SV-Q110 top tracks connector

0 112 01 1 piece




Glass wall support

00 70 84¹ 10 pieces


13



PVC profile gasket



PVCT	00 45 82 (3mm)	1 piece
	00 45 87 (3mm)	
	00 45 84 (4mm)	
PVCB	00 45 83 (2mm)	
	00 45 90 (3mm)	
	00 45 85 (4mm)	




Bottom guide for glass of 8-14mm

S	0 155 73	2 pieces
WL	00 71 90	
BL	00 71 80	


WEIGHT 55Kg | 110Kg

¹For sets that incorporate a wall support with 2 m, 3 m, 4 m or 6 m profiling, apply every 400 mm. 2 m - 6 supports wall | 3 m - 8 supports wall | 4 m - 10 supports wall | 6 m - 15 supports wall




SV-Sincro kit Q110. x2 Retaining stopper
With or without fixed glass.


110kg per panel



73x66 mm



S	0 912 30	3 m	1 kit
	0 912 31	4 m	
BL	0 912 32	3 m	
	0 912 33	4 m	
WL	0 912 34	3 m	
	0 912 35	4 m	



SV-Sincro kit Q110. Double Softop
With or without fixed glass.

55kg per panel



73x66 mm



S	0 912 36	3 m	1 kit
	0 912 37	4 m	
BL	0 912 38	3 m	
	0 912 39	4 m	
WL	0 912 40	3 m	
	0 912 41	4 m	

Notas

Notes | Notes

MULTIPLO BLOQ GLASS

SV- SINCRO Q110



Polígono Industrial de Foradada / 08580
St. Quirze de Besora / Barcelona / Spain

T. +34 93 852 96 15
export@saheco.com
saheco.com



Saheco's Exclusive Distributor
Melbourne Office
170 Derrimut Drive Derrimut Vic 3030

Tel. 1300 4 ELITE
sales@eliteglasssolutions.com.au
eliteglasssolutions.com.au

Adelaide Office
7 Manfull St. Melrose Park SA 5039